# **UCL**

## Barriers to pedestrians in a growing African city How to quantify them using minimal data

#### Paulo Rui Anciaes

Centre for Transport Studies University College London

Judite Nascimento Universidade de Cabo Verde

International Conference on Transport and Health In-person transit stop meeting, 21-22 June 2022, Cardiff

## Community severance (barrier effect of roads)





Trips Walking Physical activity Independent mobility Social interaction Worse. Health (Higgsmith et al 2022) Wellbeing (Anciaes et al (2019)

## **Existing methods**



Video surveys Street audits Participatory mapping Spatial analysis Travel vs. health/wellbeing survey Stated preference surveys

https://www.ucl.ac.uk/street-mobility/toolkit

## Community severance in African cities



decrease 30% in places without traffic calming (Zogo et al 2017)

## Lack of crossing facilities associated with less physical activity among children (Muthuri et al 2016)

Only 19% of drivers stopped for pedestrians at a crossing (Masaoe 2017)

30% of older pedestrians could not finish crossing the road within the green phase (*Amosun et al 2007*)

50% of pedestrians never use footbridges to cross motorways (Sinclair and Zuidgesst 2016)

## Contributions of this study

#### To literature on barrier effects in African cities

Quantify the barrier effect of roads for the first time in an African city (Praia, capital of Cabo Verde)

Analyse the equity dimensions of the barrier effect



#### To literature on barrier effects

Map the effect at the city level

Indicators that account for land use (what is on the other side of the road)

 Houses of others Food shops





- 132,000 people (2010) → 188,000 (2023 est.)
- . 75% of buildings in informal settlements, 15% of population in poverty .
- 81% of households do not own a car, insufficient public transport .
- 9%/year increase in number of vehicles. New roads planned.





# Data

Buildings

# Provided by local government



#### Food shops

#### Manual mapping

Markets: local knowledge and information in municipal master plan Supermarkets and minimarkets List of private companies (provided by local Incomplete or missing Shop name in Open Street Map or Google Maps Geocode address Not there

Compare unlocated shops in each neighbourhood with (image) maps in Nascimento (2003)



## Barrier effect of a road segment

Use Anciaes and Jones (2020) scale (based on pedestrian preferences): 0-100



## Barrier effect for residents in a given building j

#### Barrier to homes of others (within 600m)



#### Results - barriers to homes of others



#### Results - barriers to food shops



## Results by type of area



Further (regression) analysis confirmed that older informal areas have higher than average barrier effects and newer informal areas have lower barrier effects

## Results by household comfort level



Further (regression) analysis confirmed that populations with very low and very high comfort levels have lower than average barrier effects

Results by age group



Further (regression) analysis confirmed that individuals aged 65+ have higher than average barrier effects

#### Sensitivity analysis

Alternative assumptions for same indicators

- Only Level 1 roads
- Destinations within 400m
- Destinations within 800mInversely weight destinations by
- Inversely weight destinations by distance

#### Alternative indicators

- Distance to nearest Level 1 road
- Distance to nearest Level 1 or 2 road
- Length of Level 1 roads within 600m
- Length of Level 1/2 roads within 600m
- Indicators are less variable

Indicators are more variable

still apply

Most socio-economic patterns

 Some socio-economic patterns do not apply anymore

## Conclusions

- Roads reduce walking accessibility, affecting most of the city but with higher incidence in **older informal** zones and affecting **older people**
- 2 Households with very high and very low comfort levels are least affected
- Policy implication: barrier effect already high in many areas. New roads will increase this effect, so mitigation measures are needed
- Indicators capture differences between areas near roads with many destinations on other side and areas near similar roads with no reason to cross the road. Simpler indicators would not capture those differences
- **5** Possible to build this indicator with minimal data (but tedious manual mapping.)

## Thank you!

#### p.anciaes@ucl.ac.uk

https://iris.ucl.ac.uk/iris/browse/profile?upi=PRANC25